

## MARKING OF THE PRODUCT

15.08.2025

### 1. PRODUCTS COVERED BY THE CERTIFICATE

Every product must be provided with a fixed and easily legible label or marking containing at least the following information:

- certificate number;
- normative document on the basis of which the certificate was issued and to which the product complies;
- performance covered by the certificate (fire resistance and/or smoke control and/or self-closing class)\*;
- name of the manufacturer (address may also be included);
- type and/or name of the product;
- serial number or unique reference number of the product;
- year of manufacture (if the serial number or unique reference number of the product does not include a reference to the year);
- the certification mark of Kiwa Estonia OÜ or the inscription "Kiwa certified" shall be placed at the top of the label.
- In the case of a CPR certificate, the "CE" symbol and the identification number of the product certification body may be added to the label.

**\*The manufacturer may declare performance only for the complete end product.**

Label dimensions (W x H, mm): 25-40 x 55-70.

The label must be located on the frame and edge of the leaf of the opening opening, on the frame of the non-opening opening.











*Additional obligations in the harmonized field:*

*When marketing its product, the manufacturer shall draw up a declaration of performance of the product in accordance with Regulation (EU) No 305/2011 of the European Parliament and of the Council.*

*The CE marking, drawn up in accordance with Regulation (EU) No 305/2011 of the European Parliament and of the Council, shall be provided with the product sales documentation.*

Näidised:

# kiwa



## 2. PRODUCTS COVERED BY EXPERT OPINION

Openable and non-openable fillings must be provided with a fixed and easily legible label or mark containing at least the following information:

- expert opinion number;
- performance covered by the expert opinion (fire resistance and/or smoke control class)\*;
- manufacturer's name;
- product type and/or name;
- year of manufacture;
- the expert opinion symbol of Kiwa Estonia OÜ or the inscription "Kiwa expert opinion" is placed at the top of the label.

\*The manufacturer may declare performance only for the complete end product.

Label dimensions (W x H, mm): 25-40 x 55-70.

The label must be located on the frame and leaf edge of the opening filling, and on the frame of the non-opening filling.

### Examples:



### 3. JOINT FILLER, PENTAGE MATERIALS, FIRE PROTECTION EQUIPMENT

The product must contain at least the following information:

- certification mark with reference to the certificate number\*;
- performance covered by the certificate (fire resistance class / reaction to fire class);
- name and address of the manufacturer;
- type and/or name of the product;
- batch number and/or date of manufacture of the product.

Example of the certification mark:



\* *The placement of the certification mark on the product must not be misleading*